

# 45+

# NIGHTSTICK®

Life Depends on Light™

## INTRINSICALLY SAFE LIGHTING PRODUCTS

available at  
**BrightGuy.com**



**QUALITY  
CERTIFIED  
LIGHTING**

**UL** US LISTED   **E1** Intertek   **Ex**   **IECEX**

**MSHA**   **N** (NEMA 7)   **NFPA**   **CE**

**DUSTPROOF**

**WATERPROOF**

**IMPACT & CHEMICAL  
RESISTANT**

**CLASS I, DIVISION 1,  
GROUPS A-D, T3/T4, ZONE 0**

**NIGHTSTICK**  
Life Depends on Light™

### INTRINSICALLY SAFE LIGHTING PRODUCTS

Approved for use in hazardous locations as defined by the following standards: ATEX, IECEx, UL, MSHA, NFPA, CE.

- HEADLAMPS**
- ARSA LIGHTS**
- LANTERN**
- HANDHELDS**

**UL LISTED**   **E1** Intertek   **Ex**   **IECEX**

**MSHA**   **N** (NEMA 7)   **NFPA**   **CE**

**DUSTPROOF**

**WATERPROOF**

**IMPACT & CHEMICAL  
RESISTANT**

**CLASS I, DIVISION 1,  
GROUPS A-D, T3/T4, ZONE 0**

For more information, products or a distributor, visit [nightstick.com](http://nightstick.com) or call 1-800-272-2128

# **INTRINSICALLY SAFE** **Flashlights**

**(Single Switch)**

HANDHELD

# XPP-5410G

## Intrinsically Safe Penlight

2 - AAA

### Features

- cETLus, ATEX, IECEx, INMETRO & MSHA certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Single Function Tail Switch – Momentary & Constant-on
- Engineered Polymer
- 2 AAA Batteries (included)
- IP-67 Dustproof / Waterproof
- Limited Lifetime Warranty

### Specifications

- |                 |         |
|-----------------|---------|
| • Lumens        | 30      |
| • Run-time      | 18 hrs. |
| • Beam Distance | 40 m    |
| • Candela       | 107     |



**INTRINSICALLY SAFE**

**CLASS I, DIV 1**



HANDHELD

# XPP-5420B / XPP-5420G

## Intrinsically Safe Flashlights

3 - AA

### Features

- cETLus, ATEX, IECEX, INMETRO & MSHA certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Single Function Body Switch – Momentary & Constant-on
- Engineered Polymer
- 3 AA Batteries (not included)
- IP-67 Dustproof / Waterproof
- Limited Lifetime Warranty

### Specifications

- Lumens 140
- Run-time 14 hrs.
- Beam Distance 180 m
- Candela 7,500



available at **BrightGuy.com**

INTRINSICALLY SAFE

CLASS I, DIV 1

HANDHELD

# XPP-5420GX

## X-Series Intrinsically Safe Flashlight

### Features

- cETLus, ATEX, IECEx & INMETRO certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Single Function Body Switch – Momentary & Constant-on
- Engineered Polymer
- 3 AA Batteries (not included)
- IP-67 Dustproof / Waterproof
- Limited Lifetime Warranty

### Specifications

- Lumens 210
- Run-time 14 hrs.
- Beam Distance 187 m
- Candela 7,970

3 - AA



available at **BrightGuy.com**

INTRINSICALLY SAFE

CLASS I, DIV 1

HANDHELD

# XPP-5418GX / XPP-5418RX

## X-Series

### Intrinsically Safe Flashlights

3 - AA

#### Features

- cETLus, ATEX, IECEx & INMETRO certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Single Function Tail Switch – Momentary & Constant-on
- Glass Filled Nylon Polymer
- 3 AA Batteries (not included)
- IP-67 Dustproof / Waterproof
- NFPA-1971-8.6 (2013)
- Limited Lifetime Warranty

#### Specifications

- Lumens 200
- Run-time 10.5 hrs.
- Beam Distance 143 m
- Candela 5,129



available at **BrightGuy.com**

INTRINSICALLY SAFE

CLASS I, DIV 1

HANDHELD  
or HELMET

# XPP-5418GX-K01 / XPP-5418RX-K01

**NIGHTSTICK**  
Life Depends on Light™

## X-Series **Intrinsically Safe** Flashlights w/Multi-Angle Mounts

3 - AA

### Features

- cETLus, ATEX, IECEx & INMETRO certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Brim Mount & Accessory Slot Mount (included)
- Single Function Tail Switch – Momentary & Constant-on
- Glass Filled Nylon Polymer
- 3 AA Batteries (not included)
- IP-67 Dustproof / Waterproof
- NFPA-1971-8.6 (2013)
- Limited Lifetime Warranty

### Specifications

- |                 |           |
|-----------------|-----------|
| • Lumens        | 200       |
| • Run-time      | 10.5 hrs. |
| • Beam Distance | 143 m     |
| • Candela       | 5,129     |



available at [BrightGuy.com](https://www.brightguy.com)



**INTRINSICALLY SAFE**

**CLASS I, DIV 1**

**INTRINSICALLY SAFE**

**Dual-Light<sup>™</sup>**  
**Flashlights**

**(Dual Switch)**



HANDHELD

# XPP-5422B / XPP-5422G

3 - AA

## Intrinsically Safe Dual-Light™ Flashlights

### Features

- cETLus, ATEX, IECEx, INMETRO & MSHA certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Flashlight – Floodlight – Dual-Light
- Engineered Polymer
- 3 AA Batteries (not included)
- IP-67 Dustproof / Waterproof
- Limited Lifetime Warranty

### Specifications

	<u>Flashlight</u>	<u>Floodlight</u>	<u>DUAL-LIGHT</u>
• Lumens	120	120	<b>240</b>
• Run-time	17.5 hrs.	17.5 hrs.	4.5 hrs.
• Beam Distance	170 m		
• Candela	7,250		

Flashlight



Floodlight



Dual-Light



available at **BrightGuy.com**

**INTRINSICALLY SAFE**

**CLASS I, DIV 1**

HANDHELD

# XPP-5422GX

## X-Series **Intrinsically Safe** Dual-Light™ Flashlight

### Features

- cETLus, ATEX, IECEx & INMETRO certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Flashlight – Floodlight – Dual-Light
- Engineered Polymer
- 3 AA Batteries (not included)
- IP-67 Dustproof / Waterproof
- Limited Lifetime Warranty

### Specifications

	<u>Flashlight</u>	<u>Floodlight</u>	<u>DUAL-LIGHT</u>
• Lumens	210	130	<b>285</b>
• Run-time	14 hrs.	20 hrs.	10 hrs.
• Beam Distance	187 m		
• Candela	7,970		

Flashlight



Floodlight



Dual-Light



3 - AA

available at **BrightGuy.com**

INTRINSICALLY SAFE

CLASS I, DIV 1

**HANDHELD**

# XPP-5422GM

## Intrinsically Safe Dual-Light™ Flashlight w/Dual Magnets

3 - AA

### Features

- cETLus, ATEX, IECEX, INMETRO & MSHA certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Flashlight – Floodlight – Dual-Light
- Engineered Polymer
- 3 AA Batteries (not included)
- IP-67 Dustproof / Waterproof
- Limited Lifetime Warranty

### Specifications

	<u>Flashlight</u>	<u>Floodlight</u>	<u>DUAL-LIGHT</u>
• Lumens	120	120	<b>240</b>
• Run-time	17.5 hrs.	17.5 hrs.	4.5 hrs.
• Beam Distance	170 m		
• Candela	7,250		


Flashlight



Floodlight



Dual-Light



Dual Magnets



available at **BrightGuy.com**

**INTRINSICALLY SAFE**

**CLASS I, DIV 1**

**HANDHELD**

# XPP-5422GMX

## X-Series **Intrinsically Safe** Dual-Light™ Flashlight w/Dual Magnets

**3 - AA**

### Features

- cETLus, ATEX, IECEx & INMETRO certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Flashlight – Floodlight – Dual-Light
- 2 Integrated Magnets
- Engineered Polymer
- 3 AA Batteries (not included)
- IP-67 Dustproof / Waterproof
- Limited Lifetime Warranty

### Specifications

	<u>Flashlight</u>	<u>Floodlight</u>	<u>DUAL-LIGHT</u>
• Lumens	210	130	<b>285</b>
• Run-time	14 hrs.	20 hrs.	10 hrs.
• Beam Distance	187 m		
• Candela	7,970		

Flashlight



Floodlight



Dual-Light



Dual Magnets



available at **BrightGuy.com**

**INTRINSICALLY SAFE**

**CLASS I, DIV 1**



HANDHELD  
or HELMET

# XPP-5414GX

**NIGHTSTICK**  
Life Depends on Light™

2 - AA

## X-Series **Intrinsically Safe** Dual-Light™ Flashlight

### Features

- cETLus, ATEX & IECEx certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Flashlight – Floodlight – Dual-Light
- Magnetic Tail Cap
- Glass Filled Nylon Polymer
- 2 AA Batteries (not included)
- IP-67 Dustproof / Waterproof
- NFPA-1971-8.6 (2013)
- Limited Lifetime Warranty

### Specifications

	<u>Flashlight</u>	<u>Floodlight</u>	<u>DUAL-LIGHT</u>
• Lumens	120	120	<b>120</b>
• Run-time	24 hrs.	24 hrs.	24 hrs.
• Beam Distance	111 m		
• Candela	3,100		

Flashlight



Floodlight



Dual-Light



Magnetic  
Tail Cap

available at **BrightGuy.com**

**INTRINSICALLY SAFE**

**CLASS I, DIV 1**

HANDHELD

# XPP-5414GX-K01

2 - AA

## X-Series **Intrinsically Safe** Dual-Light™ Flashlight w/Tail Magnet & Multi-Angle Mount

### Features

- cETLus, ATEX & IECEx certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Flashlight – Floodlight – Dual-Light
- Magnetic Tail Cap
- Glass Filled Nylon Polymer
- 2 AA Batteries (not included)
- IP-67 Dustproof / Waterproof
- NFPA-1971-8.6 (2013)
- Limited Lifetime Warranty

### Specifications

	<u>Flashlight</u>	<u>Floodlight</u>	<u>DUAL-LIGHT</u>
• Lumens	120	120	120
• Run-time	24 hrs.	24 hrs.	24 hrs.
• Beam Distance	111 m		
• Candela	3,100		



Slot Mount

available at [BrightGuy.com](http://BrightGuy.com)



Brim Mount



**INTRINSICALLY SAFE**

**CLASS I, DIV 1**

**INTRINSICALLY SAFE**  
**Rechargeable Flashlights**

HANDHELD

# XPR-5542GMX

## X-Series **Intrinsically Safe** Rechargeable Dual-Light™ Flashlight w/Magnet

### Features

- cULus, ATEX & IECEx certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Flashlight – Floodlight – Dual-Light
- Rare Earth Integrated Magnet
- Engineered Polymer
- IP-67 Dustproof / Waterproof
- Li-Ion Battery, Charger & AC/DC (included)
- Limited Lifetime Warranty

### Specifications

	<u>Flashlight</u>	<u>Floodlight</u>	<u>DUAL-LIGHT</u>
• Lumens	400/170/80	225	<b>275</b>
• Run-time	10.5/19/41	10.5 hrs.	10 hrs.
• Beam Distance	215 m		
• Candela	11,571		



Magnetic  
Tail Cap



Lithium Ion

available at  
**BrightGuy.com**

**INTRINSICALLY SAFE**

**CLASS I, DIV 1**



HANDHELD

# XPR-5522GMX

## X-Series **Intrinsically Safe** Rechargeable Dual-Light™ Flashlight w/Dual Magnets

Lithium Ion

### Features

- cETLus, ATEX, IECEX & MSHA certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Flashlight – Floodlight – Dual-Light
- 2 Integrated Magnets
- Engineered Polymer
- IP-67 Dustproof / Waterproof
- Integrated Li-Ion Battery (included)
- Charger & AC/DC cords (included)
- Limited Lifetime Warranty

### Specifications

	<u>Flashlight</u>	<u>Floodlight</u>	<u>DUAL-LIGHT</u>
• Lumens	240	175	<b>400</b>
• Run-time	8 hrs.	8.5 hrs.	4.75 hrs.
• Beam Distance	178 m		
• Candela	7,964		

Flashlight



Floodlight



Dual-Light



Dual Magnets



available at **BrightGuy.com**

INTRINSICALLY SAFE

CLASS I, DIV 1

**INTRINSICALLY SAFE**  
**Headlamps**

HEADLAMP

# XPP-5450G

## Intrinsically Safe Headlamp

3 - AAA

### Features

- cETLus, ATEX, IECEX & INMETRO certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Spotlight – High & Low modes
- Elastic and Rubber Straps (included)
- Engineered Polymer
- IP-67 Dustproof / Waterproof
- 3 AAA batteries (included)
- Limited Lifetime Warranty

### Specifications

	<u>Spotlight</u>
• Lumens	90/50
• Run-time	13.5 / 22.75 hrs.
• Beam Distance	80 m
• Candela	1,615



Spot High



Spot Low



available at **BrightGuy.com**

**INTRINSICALLY SAFE**

**CLASS I, DIV 1**

HEADLAMP

# XPP-5452G

## Intrinsically Safe Headlamp

3 - AAA

### Features

- cETLus, ATEX & IECEx certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Spotlight – High & Low modes
- Elastic & Rubber Straps (included)
- Engineered Polymer
- IP-67 Dustproof / Waterproof
- 3 AAA batteries (included)
- Limited Lifetime Warranty

### Specifications

	<u>Spotlight</u>
• Lumens	180/90
• Run-time	6/19 hrs.
• Beam Distance	93 m
• Candela	2,180



Spot High



Spot Low



available at **BrightGuy.com**

**INTRINSICALLY SAFE**

**CLASS I, DIV 1**



HEADLAMP

# XPP-5454G

## Intrinsically Safe Dual-Light™ Headlamp

3 - AAA

### Features

- cETLus, ATEX, IECEx & INMETRO certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Spotlight – Floodlight – Dual-Light
- Engineered Polymer
- IP-67 Dustproof / Waterproof
- 3 AAA batteries (included)
- Limited Lifetime Warranty

### Specifications

	<u>Spotlight</u>	<u>Floodlight</u>	<u>DUAL-LIGHT</u>
• Lumens	115/60	120/60	<b>160</b>
• Run-time	5/16.25 hrs.	5.25/16.75 hrs.	3.5 hrs.
• Beam Distance	82 m		
• Candela	1,668		



available at **BrightGuy.com**

**INTRINSICALLY SAFE**

**CLASS I, DIV 1**

HEADLAMP

# XPP-5456G

## X-Series Intrinsicly Safe Dual-Light™ Headlamp

3 - AA

### Features

- cETLus, ATEX, IECEX & MSHA certified Intrinsicly Safe
- Class I, II & III, Div 1, Groups A-G
- Spotlight H/L – Floodlight H/L – Red Floodlight
- Engineered Polymer
- IP-67 Dustproof / Waterproof
- 3 AA batteries (included)
- Elastic & Rubber Straps (included)
- Limited Lifetime Warranty

### Specifications

	<u>Spotlight</u>	<u>Floodlight</u>	<u>RED Flood</u>	<u>DUAL-LIGHT</u>
• Lumens	100	90/20	18	175
• Run-time	18 hrs.	13.5/75 hrs.	37 hrs.	6.5 hrs.
• Beam Distance	140 m			
• Candela	4,820			



available at **BrightGuy.com**

INTRINSICALLY SAFE

CLASS I, DIV 1

HEADLAMP

# XPP-5458G

## X-Series Intrinsicly Safe Dual-Light™ Headlamp

3 - AA

### Features

- cETLus, ATEX, IECEX & MSHA certified Intrinsicly Safe
- Class I, II & III, Div 1, Groups A-G
- Spotlight H/L – Floodlight H/L – Red Floodlight
- Engineered Polymer
- IP-67 Dustproof / Waterproof
- 3 AA batteries (included)
- Elastic & Rubber Straps (included)
- Limited Lifetime Warranty

### Specifications

	<u>Spotlight</u>	<u>Floodlight</u>	<u>GREEN Flood</u>	<u>DUAL-LIGHT</u>
• Lumens	130	100/25	21	190
• Run-time	14 hrs.	12.5/70 hrs.	37 hrs.	6 hrs.
• Beam Distance	120 m			
• Candela	3,500			



available at **BrightGuy.com**

**INTRINSICALLY SAFE**

**CLASS I, DIV 1**

HEADLAMP

# XPP-5460GX

## X-Series **Intrinsically Safe** Low Profile Dual-Light™ Headlamp


3 - AAA

### Features

- cULus, ATEX & IECEx certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Spotlight – Floodlight – Dual-Light
- Glass Filled Nylon Polymer
- IP-67 Dustproof / Waterproof
- 3 AAA batteries (included)
- Limited Lifetime Warranty

### Specifications

	<u>Spotlight</u>	<u>Floodlight</u>	<u>DUAL-LIGHT</u>
• Lumens	180/100	180/100	<b>200</b>
• Run-time	3.5/10 hrs.	3.5/10 hrs.	3 hrs.
• Beam Distance	106 m		
• Candela	2,800		



available at **BrightGuy.com**

INTRINSICALLY SAFE

CLASS I, DIV 1



# DICATA™

**NIGHTSTICK**  
Life Depends on Light™

HEADLAMP

## XPP-5462GX / XPP-5462RX

### X-Series **Intrinsically Safe** Low Profile Dual-Light™ Headlamp

3 - AA

#### Features

- cULus, ATEX & IECEx certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Spotlight – Floodlight – Dual-Light
- Engineered Polymer
- IP-67 Dustproof / Waterproof
- 3 AA batteries (included)
- Limited Lifetime Warranty

#### Specifications

	<u>Spotlight</u>	<u>Floodlight</u>	<u>DUAL-LIGHT</u>
• Lumens	275/100	250/100	<b>310</b>
• Run-time	6.25/25 hrs.	7/25 hrs.	6 hrs.
• Beam Distance	120 m		
• Candela	3,660		



available at **BrightGuy.com**

**INTRINSICALLY SAFE**

**CLASS I, DIV 1**

**INTRINSICALLY SAFE**  
**Zero-Band Headlamps**

ZERO-BAND  
HEADLAMP

# XPP-5450GC

## Intrinsically Safe Zero-Band Headlamp

**NIGHTSTICK**  
Life Depends on Light™

3 - AAA

### Features


- cETLus, ATEX, IECEx & INMETRO certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Spotlight – High & Low modes
- Stainless Steel Helmet Clip
- Helmet Mount (included)
- Engineered Polymer
- IP-67 Dustproof / Waterproof
- 3 AAA batteries (included)
- Limited Lifetime Warranty

### Specifications

	<u>Spotlight</u>
• Lumens	90/50
• Run-time	13.5 / 22.75 hrs.
• Beam Distance	80 m
• Candela	1,615



Stainless Steel  
Bracket Clip



**INTRINSICALLY SAFE**

**CLASS I, DIV 1**

available at **BrightGuy.com**

ZERO-BAND  
HEADLAMP

# XPP-5452GC

## Intrinsically Safe Zero-Band Headlamp

**NIGHTSTICK**  
Life Depends on Light™

3 - AAA

### Features

- cETLus, ATEX & IECEX certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Stainless Steel Helmet Clip
- Helmet Mount (included)
- Engineered Polymer
- IP-67 Dustproof / Waterproof
- 3 AAA batteries (included)
- Limited Lifetime Warranty

### Specifications

	<u>Spotlight</u>
• Lumens	180/90
• Run-time	6/19 hrs.
• Beam Distance	93 m
• Candela	2,180



Hard Hat  
Mount  
Included

**INTRINSICALLY SAFE**

**CLASS I, DIV 1**

available at **BrightGuy.com**



ZERO-BAND  
HEADLAMP

# XPP-5454GC

**Intrinsically Safe**

## Zero-Band Dual-Light™ Headlamp

3 - AAA

### Features

- cETLus, ATEX, IECEx & INMETRO certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Spotlight – Floodlight – Dual-Light
- Stainless Steel Helmet Clip
- Helmet Mount (included)
- Engineered Polymer
- IP-67 Dustproof / Waterproof
- 3 AAA batteries (included)
- Limited Lifetime Warranty

### Specifications

	<u>Spotlight</u>	<u>Floodlight</u>	<u>DUAL-LIGHT</u>
• Lumens	115/60	120/60	<b>160</b>
• Run-time	5/16.25 hrs.	5.25/16.75 hrs.	3.5 hrs.
• Beam Distance	82 m		
• Candela	1,668		



Hard Hat  
Mount  
Included

**INTRINSICALLY SAFE**

**CLASS I, DIV 1**

available at **BrightGuy.com**

ZERO-BAND  
HEADLAMP

# XPP-5460GCX

**NIGHTSTICK**  
Life Depends on Light™

## X-Series **Intrinsically Safe** Zero-Band Low Profile Dual-Light™ Headlamp

3 - AAA

### Features


- cULus, ATEX & IECEx certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Spotlight – Floodlight – Dual-Light
- Stainless Steel Helmet Clip
- Helmet Mount (included)
- Glass Filled Nylon Polymer
- IP-67 Dustproof / Waterproof
- 3 AAA batteries (included)
- Limited Lifetime Warranty

### Specifications

	<u>Spotlight</u>	<u>Floodlight</u>	<u>DUAL-LIGHT</u>
• Lumens	180/100	180/100	<b>200</b>
• Run-time	3.5/10 hrs.	3.5/10 hrs.	3 hrs.
• Beam Distance	106 m		
• Candela	2,800		



Hard Hat  
Mount



**INTRINSICALLY SAFE**

**CLASS I, DIV 1**

available at **BrightGuy.com**

## Intrinsically Safe Rechargeable Dual-Light™ Cap Lamp

### Features

- MSHA Certified Intrinsically Safe
- Spotlight – Floodlight – Dual-Light™
- Dual Switches located on the top of the light
- Heavy-Duty Stainless Steel Clip
- Integrated Lithium-ion Rechargeable Battery
- IP-67 Dustproof / Waterproof
- Limited Lifetime Warranty

### Specifications

	<u>Lumens</u>	<u>Run-Time</u>
• Spotlight Lumens:	90/45	15/22 hrs.
• Floodlight Lumens:	90/5	15/150 hrs.
• Dual-Light Lumens:	180/90	6/14 hrs.
• Beam Distance:	47 m	
• Candela:	1,140	



Lithium-ion

available at  
**BrightGuy.com**



Optional  
10 Bank  
Charger

**INTRINSICALLY SAFE**

**CLASS I, DIV 1**

**INTRINSICALLY SAFE**  
**Angle Lights & Lanterns**



ANGLE LIGHT

# XPP-5566GX / XPP-5566RX

## Intrinsically Safe Dual-Light™ Angle Lights

### Features

- cULus, ATEX, IECEx & INMETRO Certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Flashlight – Floodlight – Dual-Light™
- Dual Independent Switches
- Heavy-Duty Stainless Steel Clip
- 3 AA Batteries (included)
- IP-67 Dustproof / Waterproof
- Limited Lifetime Warranty

### Specifications

	<u>Lumens</u>	<u>Run-Time</u>
• Flashlight	200/110/60	11/18/33 hrs.
• Floodlight	100/40/20	11/18/33 hrs.
• Dual-Light	205	11
• Beam Distance	401 m	
• Candela	40,256	



3 - AA

available at  
**BrightGuy.com**



Stainless  
Steel Clip

**INTRINSICALLY SAFE**

**CLASS I, DIV 1**

**ANGLE LIGHT** **XPR-5568GX / XPR-5568RX**

**Intrinsically Safe Rechargeable  
Dual-Light™ Angle Lights**

**Features**

- cULus, ATEX, IECEx & INMETRO Certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G
- Flashlight – Floodlight – Dual-Light™
- Dual Independent Switches
- Heavy-Duty Stainless Steel Clip
- Li-Ion Battery, Charger & AC/DC (included)
- Also runs on 3 AA using battery carrier (included)
- IP-67 Dustproof / Waterproof
- Limited Lifetime Warranty

**Specifications**

	<u>Lumens</u>	<u>Run-Time</u>
• Flashlight	200/110/60	7/15/27 hrs.
• Floodlight	100/40/20	7/15/27 hrs.
• Dual-Light	205	7
• Beam Distance	401 m	
• Candela	40,256	



Lithium-ion  
or 3 AA

available at **BrightGuy.com**

**INTRINSICALLY SAFE**      **CLASS I, DIV 1**

# VIRIBUS™

**NIGHTSTICK®**  
Life Depends on Light™

LANTERN

## XPR-5580G / XPR-5580R

### Intrinsically Safe Multi-Function Dual-Light™ Lantern

Lithium-ion

#### Features

- cULus, ATEX & IECEx Certified Intrinsically Safe
- Class I, II & III, Div 1, Grps A-G
- Flashlight – Floodlight – Dual-Light™
- Rear-facing Green LEDs for Safety
- Glass-Filled Nylon Polymer
- IP-67 Dustproof / Waterproof
- Li-Ion Battery, Charger & AC/DC (included)
- Limited Lifetime Warranty

#### Specifications

	<u>Lumens</u>	<u>Run-Time</u>
• Flashlight:	210/100/30	12/19/65 hrs.
• Floodlight:	200/100/30	14/19/65 hrs.
• Dual-Light:	300	9.25 hrs.
• Beam Distance:	635 m	
• Candela	101,000	



Downward  
Facing  
Floodlight

INTRINSICALLY SAFE

CLASS I, DIV 2

available at [BrightGuy.com](http://BrightGuy.com)

# VIRIBUS™

LANTERN

## XPR-5581RX

**NIGHTSTICK®**  
Life Depends on Light™

### X-Series Intrinsically Safe Dual-Light™ Lantern

#### Features

- cETLus Certified Intrinsically Safe
- Class I, II & III, Div 2, Grps A-G
- Flashlight – Floodlight – Dual-Light™
- Rear-facing Green LEDs for Safety
- Glass-Filled Nylon Polymer
- IP-67 Dustproof / Waterproof
- Li-Ion Battery, Charger & AC/DC (included)
- Limited Lifetime Warranty

#### Specifications

	<u>Lumens</u>	<u>Run-Time</u>
• Flashlight:	1,100/550	4/9 hrs.
• Floodlight:	500/250	6.5/14 hrs.
• Dual-Light:	900	4.5 hrs.
• Beam Distance:	403 m	
• Candela	40,688	



Lithium-ion



Downward  
Facing  
Floodlight

INTRINSICALLY SAFE

CLASS I, DIV 2

available at **BrightGuy.com**



# INTEGRITAS™

**NIGHTSTICK®**  
Life Depends on Light™

LANTERN

## XPR-5582GX / XPR-5582RX

**X-Series Intrinsically Safe  
Rechargeable Lantern**

*available at [BrightGuy.com](http://BrightGuy.com)*

Lithium-ion

### Features

- cETLus certified Intrinsically Safe
- Class I, II & III, Div 2, Groups A-G & Zone 0
- 180 Degree Adjustable Tilting Head
- Rear-facing Green LEDs for Safety
- Integrated Rechargeable Lithium-ion battery
- Removeable Shoulder Strap
- IP-67 Dustproof / Waterproof
- Limited Lifetime Warranty

### Specifications

- |                 |            |
|-----------------|------------|
| • Lumens        | 1750 / 600 |
| • Run-Time      | 5 hrs.     |
| • Beam Distance | 552 m      |
| • Candela       | 81,250     |



**INTRINSICALLY SAFE**

**CLASS I, DIV 1**

# INTEGRITAS™

**NIGHTSTICK®**  
Life Depends on Light™

LANTERN

## XPR-5584GMX

### X-Series Intrinsically Safe Rechargeable Lantern w/Magnetic Pad

available at [BrightGuy.com](http://BrightGuy.com)

Lithium-ion

#### Features

- cULus, ATEX, & IECEx certified Intrinsically Safe
- Class I, II & III, Div 1, Groups A-G & Zone 0
- 180 Degree Adjustable Tilting Head
- Rear-facing Green LEDs for Safety
- Integrated Rechargeable Lithium-ion battery
- Removeable Shoulder Strap
- IP-67 Dustproof / Waterproof
- Limited Lifetime Warranty

#### Specifications

- |                 |              |
|-----------------|--------------|
| • Lumens        | 600 / 250    |
| • Run-Time      | 13 / 25 hrs. |
| • Beam Distance | 237 m        |
| • Candela       | 14,096       |

Flashlight  
High



Flashlight  
Low



Integrated  
Magnetic  
Pad

INTRINSICALLY SAFE

CLASS I, DIV 1

## X-Series Intrinsically Safe Rechargeable Dual-Light™ Lantern

*available at [BrightGuy.com](http://BrightGuy.com)*

Lithium-ion

### Features

- cULus certified Intrinsically Safe
- Class I, II & III, Div 1, Grps A-G
- Flashlight – Floodlight – Dual-Light™
- Adjustable Tilting Head
- Rear-facing Red LEDs in Constant-on or Flashing
- Glass-Filled Nylon Polymer
- Rechargeable Lithium-ion battery
- IP-67 Dustproof / Waterproof
- Limited Lifetime Warranty

### Specifications

- |                 |            |
|-----------------|------------|
| • Flashlight    | 650/380/25 |
| • Floodlight    | 650/380/25 |
| • Dual-Light    | 900        |
| • Beam Distance | 388 m      |
| • Candela       | 37,600     |



Downward Facing Floodlight



**INTRINSICALLY SAFE**

**CLASS I, DIV 1**



**INTRINSICALLY SAFE**  
**Area Scene Lights**



AREA LIGHT

# XPR-5590RX

## Intrinsically Safe Area Scene Light w/Base Magnet

Lithium-ion

### Features

- cETLus certified Intrinsically Safe
- Class I, II & III, Div 2, Grps A, B, C, D, F & G
- High & Low Floodlight
- Multi-angle tilt and swivel fixture design
- Handle extends & rotates 360° w/Cam Lock
- Magnetic Base w/Protective Rubber Boot
- Integrated Lithium-ion Rechargeable Battery
- Injection Molded Case included
- Meets requirements for NFPA-1971-8.6 (2013)
- IP-67 Dustproof / Waterproof
- 1 Year Limited Warranty

### Specifications

- Lumens 1100 / 500
- Run-time 4 / 8 hrs.



**available at [BrightGuy.com](http://BrightGuy.com)**

**INTRINSICALLY SAFE**

**CLASS I, DIV 2**

# XPR-5590RCX

## Intrinsically Safe Area Scene Light w/Base Magnet, Tripod Stand & Case

### Features

- cETLus Certified Intrinsically Safe
- Class I, II & III, Div 2, Grps A, B, C, D, F & G
- High & Low Floodlight
- Multi-angle tilt and swivel fixture design
- Handle extends & rotates 360° w/Cam Lock
- Magnetic Base w/Protective Rubber Boot
- Integrated Lithium-ion Rechargeable Battery
- Includes 6 foot Tripod Stand, Injection Molded Case, AC & DC Charging Cords
- Meets requirements for NFPA-1971-8.6 (2013)
- IP-67 Dustproof / Waterproof
- 1 Year Limited Warranty

### Specifications

- Lumens 1100 / 500
- Run-time 4 / 8 hrs.

Lithium-ion

Flood High



Flood Low



**available at [BrightGuy.com](http://BrightGuy.com)**

**INTRINSICALLY SAFE**

**CLASS I, DIV 2**

# XPR-5592GX

## Intrinsically Safe Area Scene Light w/Base Magnet

Lithium-ion

### Features

- cETLus - Class I, II & III, Div 1, Groups A-G
- High & Low Floodlight
- Multi-angle tilt and swivel fixture design
- Handle extends & rotates 360° w/Cam Lock
- Magnetic Base w/ Protective Rubber Boot
- Integrated Lithium-ion Rechargeable Batteries
- Injection Molded Case included
- Meets requirements for NFPA-1971-8.6 (2013)
- IP-67 Dustproof / Waterproof
- 1 Year Limited Warranty

### Specifications

- Lumens 1,000 / 500
- Run-time 6 / 17 hrs.

Flood High



Flood Low



available at [BrightGuy.com](http://BrightGuy.com)

INTRINSICALLY SAFE

CLASS I, DIV 1

AREA LIGHT

# XPR-5592GCX

**NIGHTSTICK**  
Life Depends on Light™

## Intrinsically Safe Area Scene Light w/Base Magnet, Tripod Stand & Case

### Features

- cETLus - Class I, II & III, Div 1, Groups A-G
- High & Low Floodlight
- Multi-angle tilt and swivel fixture design
- Handle extends & rotates 360° w/Cam Lock
- Magnetic Base w/ Protective Rubber Boot
- Dual Integrated Lithium-ion Rechargeable Batteries
- Includes 6 ft Tripod, Case, AC & DC Charging Cords
- Meets requirements for NFPA-1971-8.6 (2013)
- IP-67 Dustproof / Waterproof
- 1 Year Limited Warranty

### Specifications

- Lumens 1,000 / 500
- Run-time 6 / 17 hrs.

Flood High



Flood Low



Lithium-ion



*available at [BrightGuy.com](http://BrightGuy.com)*

INTRINSICALLY SAFE

CLASS I, DIV 1